

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/038,329	10/22/2001	Robert J. Simcoe	112057-0001	7236	
75	7590 08/24/2005			EXAMINER	
R. Alan Burne	•••	SOL, ANT	SOL, ANTHONY M		
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP 12400 Wilshire Boulevard Seventh Floor Los Angeles, CA 90025			ART UNIT	PAPER NUMBER	
			2662	2662	
			DATE MAILED: 08/24/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

	A Landia No	A 12 4/3			
	Application No.	Applicant(s)			
Office Antique Occupant	10/038,329	SIMCOE, ROBERT J.			
Office Action Summary	Examiner	Art Unit			
	Anthony Sol	2662			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl of 1 NO period for reply is specified above, the maximum statutory period in Failure to reply within the set or extended period for reply will, by statute any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time y within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	rely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).			
Status	•				
1) Responsive to communication(s) filed on 22 C	October 2001.				
2a) This action is FINAL . 2b) This	s action is non-final.				
3) Since this application is in condition for allowa	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under $m{t}$	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims					
4)⊠ Claim(s) <u>1-20</u> is/are pending in the application)⊠ Claim(s) 1-20 is/are pending in the application.				
4a) Of the above claim(s) is/are withdra	4a) Of the above claim(s) is/are withdrawn from consideration.				
5) Claim(s) <u>1-20</u> is/are allowed.					
6) Claim(s) is/are rejected.	Claim(s) is/are rejected.				
7) Claim(s) is/are objected to.	Claim(s) is/are objected to.				
8) Claim(s) are subject to restriction and/o	Claim(s) are subject to restriction and/or election requirement.				
Application Papers	•				
9)☐ The specification is objected to by the Examiner.					
10)⊠ The drawing(s) filed on <u>22 October 2001</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s)					
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)					
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 	Paper No(s)/Mail Da 5) Notice of Informal P	ate Patent Application (PTO-152)			
Paper No(s)/Mail Date 6) Other:					

Application/Control Number: 10/038,329 Page 2

Art Unit: 2662

EX PARTE QUAYLE ACTION

1. This application is in condition for allowance except for the following formal matters:

Regarding claims 1, 19 and 20,

It is suggested that the term "substantial" be deleted.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

Allowable Subject Matter

2. Claims 1-20 are allowed

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Application/Control Number: 10/038,329

Art Unit: 2662

38,329 Page 3

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony Sol whose telephone number is (571) 272-5949. The examiner can normally be reached on M-F 7:30am - 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hassan Kizou can be reached on (571) 272-3088. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AMS

8/19/2005

CHAU NGUYEN

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600